

जिल्हाधिकारी कार्यालय, बुलडाणा
आपत्ती सौम्यिकरण उपाययोजनेअंतर्गत शोध व बचाव साहित्य (Disaster Mangement Equipment) खरेदीबाबत जाहीर निविदा सुचना

महाराष्ट्र शासन महसूल व वन विभाग मदत व पुनर्वसन विभाग मंत्रालय मुंबई दिनांक १७ ऑगस्ट २०११ नुसार बुलडाणा जिल्ह्यात आपत्ती सौम्यिकरण उपाययोजना राबविण्याकरिता अध्यक्ष अध्यक्ष जिल्हा आपत्ती व्यवस्थापन प्राधिकरण तथा जिल्हाधिकारी बुलडाणा यांचेकडून नविन शोध व बचाव (Disaster Mangement Equipment) उदा. रबर बोट, लाइफ जॅकेट, लाइफ बॉइज, टेन्ट वगैरे. साहित्य खरेदी बाबत जाहीर निविदा सुचना प्रसिध्द करण्यात येत असून यासंबंधि अधिकृत विक्रेता/उत्पादक/वितरक यांचे कडून व्दी लिफापा पध्दतीने खुल्या निविदेद्वारे मोहोर बंद निविदा मागविण्यात येत आहेत

पात्र इच्छूक असलल्या फर्मला निविदेची माहिती (Disaster Mangement Equipment) बाबत सविस्तर तपशिलासह यादी, निविदा संच, निविदेच्या अटी व शर्ती जिल्हाधिकारी कार्यालय, आपत्ती व्यवस्थापन कक्ष, बुलडाणा येथे दिनांक ०२/०१/२०१२ ते १३/०१/२०१२ पर्यंत कामकाजाच्या दिवशी सकाळी ११ ते दुपारी ३ वाजेपर्यंत प्राप्त होऊ शकेल. यासंदर्भात निविदा अर्जाची किंमत रु.२०००/- रोख भरून (परत न मिळणारी) नमूद कालावधीमध्ये उपलब्ध होतील. निविदेसोबत अनामत रक्कमेचा धनाकर्ष (डी.डी.) रुपये १,२५,०००/- जोडणे बंधनकारक राहिल. सीलबंद निविदा दिनांक १३/०१/२०१२ रोजी दुपारी ३.०० वाजेपावेतो स्विकारल्या जातील. प्राप्त सीलबंद निविदा दिनांक१३/०१/२०१२ रोजी दुपारी ४.०० वाजता उघडण्यात येतील. प्राप्त निविदा पैकी कोणतीही निविदा स्विकृत करण्याचा व कोणतेही कारण न देता निविदा रद्द करण्याचा तथा संपूर्ण निविदा प्रक्रीया रद्द करण्याचा अधिकार जिल्हाधिकारी बुलडाणा यांचेकडे राखून ठेवण्यात येत आहे.

-स्वा-

जिल्हाधिकारी तथा
अध्यक्ष जिल्हा आपत्ती व्यवस्थापन प्राधिकरण
बुलडाणा

(मुळप्रत मा.जिल्हाधिकारी यांनी मान्य केल्यानुसार)

महाराष्ट्र शासन
महाराष्ट्र आपत्ती धोके कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करण्याकरिता निविदा मागणी
जिल्हाधिकारी कार्यालय, बुलडाणा
निविदा मागणी सुचना

क्र.कावि/आ.व्य./ /२०११ जिल्हाधिकारी कार्यालय बुलडाणा दिनांक / /२०११

जिल्हाधिकारी कार्यालय बुलडाणा यांच्या अधिनस्त महाराष्ट्र आपत्ती धोके व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करणेकामी नोंदणीकृत संस्था अगर पुरवठादार/उत्पादक की ज्यांनी महाराष्ट्र शासनास यापूर्वी आपत्ती व्यवस्थापनासंदर्भात शोध व बचाव कामासाठी साहित्यांचा पुरवठा करणेबाबतचा पुरेसा अनुभव असेल अशा अधिकृत एजन्सी, पुरवठादार व उत्पादक यांचे कडून नविन शोध व बचाव साहित्य पुरवठा करणेबाबत लिफापा बंद निविदा मागविण्यात येत आहेत.

या बाबत जिल्हाधिकारी कार्यालय बुलडाणा यांच्या मार्फत निविदा प्रक्रियेसंबंधिची माहिती खालीलप्रमाणे दर्शविण्यात येत आहे.

अ क्र	निविदा अर्ज मिळण्याचे ठिकाण	निविदा अर्जाची किंमत रूपये (रोख स्वरूपात)	निविदा अर्ज मिळण्याचा कालावधी	निविदा अर्ज स्विकारण्याची अंतिम दिनांक व वेळ	निविदा उघडण्याची दिनांक, वेळ व स्थळ
०१	जिल्हा आपत्ती व्यवस्थापन कक्ष जिल्हाधिकारी कार्यालय बुलडाणा	२०००/-	०२/०१/२०१२ ते १३/०१/२०१२	१३/०१/२०१२ दुपारी ३.०० वाजे पावोतो	१३/०१/२०१२ दुपारी ४.०० वाजता.

-स्वा-

जिल्हाधिकारी बुलडाणा तथा

अध्यक्ष

जिल्हा आपत्ती व्यवस्थापन प्राधिकरण, बुलडाणा

आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य खरेदी करण्याबाबतचा निविदा अर्ज
(अर्जाची किंमत रु. २०००/- (अक्षरी रु दोन हजार))

लिफाफा क्र. १ तांत्रिक लिफाफा

जिल्हाधिकारी कार्यालय, बुलडाणा

अनुक्रमांक -----

निविदा फार्म विक्रीचा दिनांक / /

(अनावश्यक बाबी खोडाय्यात)

प्रती,

जिल्हाधिकारी तथा

अध्यक्ष जिल्हा आपत्ती व्यवस्थापन

प्राधिकरण, बुलडाणा

विषय :- आपल्या कार्यालयातील निविदा सुचना दिनांक / / च्या अनुषंगाने बुलडाणा जिल्हयातील आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करण्यासाठी निविदा फार्म भरून देत आहे.

१) निविदा धारकाचे नाव पत्ता :-
(दुरध्वनी क्रमांकासह)
(मोबाईल क्रमांक आवश्यक)

२) एजन्सी/संस्था नोंदणी क्रमांक

३) अर्जासोबत सुरक्षाठेव म्हणून जमा करण्यात आलेली रक्कम व धनाकर्ष / पावतीचा क्रमांक :-

४) निविदा सोबत जोडण्यात येणारे कागदपत्रे

१) -----

२) -----

३) -----

मी/आम्ही आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध बचाव साहित्य पुरविण्याबाबत आपल्या कडून पुरविण्यात आलेल्या निविदा सुचनांतील नियम व अटी संपूर्णपणे वाचून, समजून घेतलेल्या आहेत.
त्या मला/आम्हांला मान्य व बंधनकारक आहेत.

स्थळ :-

दिनांक :-

निविदा धारकाची स्वाक्षरी -----

निविदा धारकाचे नाव -----

संपूर्ण पत्ता -----

दुरध्वनी क्रमांक -----

मोबाईल क्रमांक -----

परिशिष्ट अ (२)
आपत्ती सौम्यीकरण उपाय याजनेअंतर्गत
शोध व बचाव साहित्य
तांत्रिक लिफाफयासोबत जोडावयाचा

Sr.No.	Iteam	Warranty & Post Warranty	ISI Spcification & other information
1	Life Jacket		
2	Life Buoys		
3	Rubber Boat with OBM (25hp)		
4	Tents		
5	Fire Suits		
6	Gas Cutter		
7	Concrete Cutter		
8	First Aid Kits		
9	Hammer (5 kg)		
10	Helmet Torch		
11	Hand Gloves		
12	Gum Boots		
13	Nose Masks(use&through)		
14	Rain coat		
15	Nylon Rope		
16	Safty Net		
17	Megha phone with spicker		
18	Helmet		
19	Jumping Pad		
20	Police Torch		
21	Serch Light		
22	Wood cutter light weight		
23	Stretchers multipurpose		
24	Emergency Bracelet		
25	Inflatable Jakets		
26	Rope&Rescue Kit		
27	Fire xtinguishar		
28	Inflatable lighting Towar		
29	Chain saw		
30	Aluminum Ladders		

वरील प्रमाणे सर्व वस्तुबाबत वारंटी तथा आयएसआय स्पेशीफीकेशन इत्यादी व इतर माहिती यामध्ये नमुद करणे आवश्यक राहिल.

स्वाक्षरी
विकेता/वितरक/उत्पादक

आपत्ती सौम्यीकरण उपाय याजनेअंतर्गत
शेध व बचाव साहित्य
दरपत्रक लिफाफा क्र २

Sr.No.	Item	Requirement	ISI Specification & other information	Price each item
1	Life Jacket	75		
2	Life Buoys	75		
3	Rubber Boat with OBM (25hp)	1		
4	Tents	6		
5	Fire Suits	5		
6	Gas Cutter	6		
7	Concrete Cutter	1		
8	First Aid Kits	75		
9	Hammer (5 kg)	6		
10	Helmet Torch	10		
11	Hand Gloves	50		
12	Gum Boots	20		
13	Nose Masks(use&through)	75		
14	Rain coat	30		
15	Nylon Rope	700 m		
16	Safty Net	3		
17	Megha phone with spicker	20		
18	Helmet	15		
19	Jumping Pad	2		
20	Police Torch	15		
21	Serch Light	10		
22	Wood cutter light weight	2		
23	Stretchers multipurpose	20		
24	Emergency Bracelet	15		
25	Inflatable Jakets	7		
26	Rope&Rescue Kit	1		
27	Fire xtinguishar	40		
28	Inflatable lighting Towar	1		
29	Chain saw	4		
30	Aluminum Ladders	5		

दिनांक:-

ठिकाण:-

स्वाक्षरी
विकेता/वितरक/उत्पादक
संपुर्ण नाव व पत्ता
मोबाईल व फोन क्र.

महाराष्ट्र शासन
महाराष्ट्र आपत्ती धोके कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करण्याकरिता निविदा मागणी
जिल्हाधिकारी कार्यालय, बुलडाणा
निविदा मागणी सूचना

क्र.कावि/आ.व्य./	/२०११	जिल्हाधिकारी कार्यालय बुलडाणा	दिनांक	/	/२०११
------------------	-------	-------------------------------	--------	---	-------

महाराष्ट्र आपत्ती धोके कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करण्याकरिता नोंदणीकृत संस्था अगर पुरवठादार/उत्पादक की ज्यांनी महाराष्ट्र शासनास यापूर्वी आपत्ती व्यवस्थापनासंदर्भात या शोध व बचाव कामासाठी साहित्यांचा पुरवठा करणेबाबतचा पुरेसा अनुभव असेल अशा अधिकृत एजन्सी, पुरवठादार व उत्पादक यांचे कडून नविन शोध व बचाव साहित्य पुरवठा करणेबाबत लिफापा बंद निविदा मागविण्यात येत आहेत.

- सदर निविदा अर्जाची किंमत रुपये २०००/- (अक्षरी रु दोन हजार) जिल्हाधिकारी कार्यालय, बुलडाणा (आपत्ती व्यवस्थापन कक्ष) येथे डि. डि. स्वरूपात स्विकारले जाईल डि डि (जिल्हा आपत्ती सौम्यकरण निधी बुलडाणा तथा जिल्हाधिकारी बुलडाणा) यांचे नावे असावा. त्याशिवाय अर्ज दिला जाणार नाही. निविदेचे दोन लिफापे तयार करून खालील पध्दतीने भरणे आवश्यक आहे.

१) लिफापा क्र. १ तांत्रिक लिफापा

- अनामत रक्कम रुपये १,२५,०००/- चा डि डि (जिल्हा आपत्ती सौम्यकरण निधी बुलडाणा तथा जिल्हाधिकारी बुलडाणा) यांचे नावे सोबत जोडणे आवश्यक आहे.
- संस्था नोंदणीकृत असलेबाबतचे प्रमाणपत्र (Shop Act Certificate) व संबंधित पुरवठादाराचे विक्रिकर प्रमाणपत्र
- संस्थेस/पुरवठादार/उत्पादक यांना शोध व बचाव साहित्य पुरवठा करणेबाबत असलेला अनुभव असल्याबाबतचे प्रमाणपत्र (किमान २ वर्षांचा दाखला)
- उत्पादक कंपनीने संस्थेस/पुरवठादार व शोध बचाव साहित्य विक्री कामी एजन्सी दिल्याची प्रत (स्वतः उत्पादक नसल्यास)
- सन २०१०-२०११ चे आयकर भरणा विवरणपत्र
- या कार्यालयाच्या अटी व शर्ती मान्य असल्याबाबतचे प्रमाणपत्र (शंभर रूपयाचे स्टॅम्पवर) (निविदा अर्जासोबत अटी व शर्ती असलेला नमूना जोडलेला आहे.)
वरील तांत्रिक बाबीचे पूर्तता करणे बंधनकारक राहिल.

२) लिफापा क्र. १ दरपत्रक लिफापा

- सदर लिफापात विहित पध्दतीने भरलेला अर्ज.
- निविदा अर्जासोबतचे जोडलेल्या शोध व बचाव साहित्यांच्या यादी प्रमाणे प्रती नग दर नमुद करणे आवश्यक आहे.

आवश्यक सूचना

१. निविदा अर्ज आपत्ती व्यवस्थापन कक्ष, जिल्हाधिकारी कार्यालय बुलडाणा येथे विहित पध्दतीने शुल्क रक्कम रु. २०००/- (अक्षरी रु दोन हजार) भरले (डि डि) नंतर उपलब्ध करून देण्यात येतील. त्याचप्रमाणे निविदा अर्ज व अर्जातील अटी व शर्ती याबाबतची माहिती बुलडाणा जिल्ह्याच्या अधिकृत संकेत स्थळावर www.buldhana.nic.in उपलब्ध आहेत. जे निविदा धारक संकेतस्थळावरून अर्ज डाऊनलोड करून भरतील त्यांनी जिल्हा आपत्ती सौम्यकरण निधी बुलडाणा तथा जिल्हाधिकारी बुलडाणा यांचे नावाचा डि डि जिल्हा आपत्ती व्यवस्थापन कक्ष जिल्हाधिकारी कार्यालय बुलडाणा येथे जमा करावा.
२. विहित केलेल्या निविदा पत्रकात दर भरून लिफापा अटी व शर्तीसह मोहरबंद सादर करावा. सदरील लिफापावर आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्य पुरवठा करण्याकरिता निविदा अर्ज असे लिहावे.
३. निविदा उघडण्याची तारीख व वेळ यांत आवश्यकता भासल्यास बदल करण्याचे अधिकार जिल्हाधिकारी बुलडाणा यांनी राखून ठेवले आहेत.
४. लिफापा क्र. १ अगोदर उघडला जाईल. त्यामधील कागदपत्र बरोबर नसतील तर निविदा नामंजूर करून दप्तरी दाखल करण्यात येईल. निविदा स्विकारण्याचे व नाकारण्याचे सर्व अधिकार मा.जिल्हाधिकारी, बुलडाणा यांनी राखून ठेवले आहेत.
५. निविदा धारकांनी सादर केलेल्या निविदेतील वस्तुंच्या दरात समानता दिसून आल्यास सदर वस्तू खरेदी कामी त्याच वेळेस स्पर्धात्मक बोली पध्दतीने दर मंजूर करण्यात येतील व याबाबतचा निर्णय संबंधित निविदाधारकाला बंधनकारक राहिल व संबंधितास याबाबत रु १००/- च्या स्टॅम्पवर करानामा करून दयावा लागेल.
६. निविदाधारकांना रुपये १,२५,०००/- एवढी रक्कम अनामत रक्कम म्हणून डि डि द्वारे जिल्हा आपत्ती सौम्यकरण निधी तथा जिल्हाधिकारी बुलडाणा यांचे नावे जिल्हा आपत्ती व्यवस्थापन कक्ष जिल्हाधिकारी कार्यालय बुलडाणा येथे जमा करणे आवश्यक व बंधनकारक असेल. निविदा नामंजूर झाल्यास अनामत रक्कम (डी.डी.) परत देण्यात येईल.

जिल्हाधिकारी कार्यालय बुलडाणा
(आपत्ती व्यवस्थापन कक्ष)

निविदा सुचना

जिल्हा आपत्ती व्यवस्थापनांतर्गत नविन शोध व बचाव साहित्यांची खरेदी करणे

सर्व संबंधित नोंदणीकृत संस्था अगर पुरवठादार/उत्पादक ज्यांनी महाराष्ट्र शासनास या अगोदर आपत्ती व्यवस्थापनांतर्गत शोध व बचाव कार्यासाठी साहित्यांचा पुरवठा केला असेल व त्याबाबतचा अनुभव असेल अशा पुरवठादार व उत्पादक यांना कळविण्यात येते की बुलडाणा जिल्ह्यातील सन २०११-१२ या आर्थिक वर्षात जिल्हा आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्यांची खरेदी करणेकामी निविदा मागविण्यात येत आहे. सदर बाबतच्या अटी व शर्ती खालीलप्रमाणे आहेत.

निविदेच्या अटी व शर्ती खालीलप्रमाणे राहतील

१. अर्जातील रकाना क्रमांक ४ मध्ये नमूद केल्याप्रमाणे यादीतील दर भरतांना संस्था / व्यक्ती यांनी निविदेत दर्शविलेले प्रमाणे साहित्यांसाठी लागणारा एकुण खर्च नमूद करावा.
२. सदर खर्चाव्यतिरिक्त इतर कोणत्याही प्रकारचा छूपा खर्च या कार्यालयामार्फत पुरविला जाणार नाही.
३. एकुण खर्च नमूद करतांना सर्व करांसहित नमूद करावा व ISI Specification नमूद करावे.
४. निविदेत एकदा भरलेल्या दरांनुसार साहित्याचा पुरवठा करावा लागेल . त्याकामी बाजारभावात चढ उतार झाली तरी निविदेतील दरांप्रमाणेच पुरवठा करावा लागेल.
५. प्रस्तूत कामी दिलेल्या निविदेतील दरांना मा.जिल्हाधिकारी यांनी मंजुरी दिल्यानंतरच व साहित्य पुरविण्याबाबतचे या कार्यालयाचे लेखी पत्राद्वारे कळविलेले नंतरच आपण साहित्यांचा पुरवठा करावा.
६. सर्व साहित्यांचा पुरवठा केल्यानंतर आपणास त्या बाबतचे देयक मंजूर करण्यात येईल.
७. सर्व साहित्य हे मा.जिल्हाधिकारी यांचे आदेशान्वये ज्या ठिकाणी (बुलडाणा जिल्ह्यात) पोचवावे लागणार आहे. याबाबतचा खुलासा या कार्यालयाकडून केल्यानंतर संबंधित निविदा धारकास साहित्यांचा पुरवठा त्या ठिकाणी करावा लागणार आहे. किंवा साहित्य पोहचवावे लागेल. यासाठी कोणत्याही प्रकारचा वेगळा खर्च दिला जाणार नाही.
८. नविन शोध व बचाव साहित्य पुरविण्याकामी पुरवठादार किंवा संबंधित निविदाधारक किंवा इतर कोणत्याही संबंधित इसमास याबाबतची कोणतीही आगाऊ रक्कम (अॅडव्हान्स) उपलब्ध करून दिली जाणार नाही.
९. ज्या संस्थेची किंवा इतर कोणत्याही पुरवठाधारकांची निविदा मंजूर झाल्यानंतर साहित्य पुरवठा करण्यासाठी जो कालावधी निश्चित केला जाईल त्याच कालावधीत साहित्यांचा पुरवठा करणे पुरवठाधारकांस बंधनकारक असेल.
१०. मंजूर निविदाधारकांकडून पुरविण्यात आलेले साहित्य नमुद स्पेशीफीकेशन नुसार कंपनीमधील वरीष्ट अधिका-याकडून साहित्याची पडताळणी झाल्याबाबत प्रमाणपत्र सादर करणे बंधनकारक राहिल
११. निविदा मंजुरी नंतर पुरविण्यात येणा-या साहित्याची ने आण करतांना साहित्यात काही बिघाड झाल्यास त्याची सर्वस्वी जबाबदारी पुरवठा धारकाची राहिल .
१२. साहित्य प्राप्त झाल्यानंतर जिल्हाधिकारी कार्यालयाचे पथकाकडून /तांत्रिक अधिका-याकडून स्पेशीफीकेशन नुसार तथा कंपनी अधिका-याचे प्रमाणपत्रानुसार साहित्य प्राप्त झाले आहे याबाबत शहानिशा करण्यात येईल.
१३. साहित्य पुरवठा झाल्यानंतर सादर साहित्य हाताळण्याचे प्रशीक्षण संबंधित प्रशीक्षणार्थीना देणे बंधनकारक राहिल .
१४. साहित्याचा पुरवठा केल्यानंतर सदर साहित्याची देखभाल व दुरुस्तीची ठरविण्यात आलेली मर्यादा असेल त्यानंतर आपणास सदर साहित्याची विनामुल्य देखभाल व दुरुस्ती करण्याबाबत मर्यादा कमीत कमी १ वर्ष देखभाल व दुरुस्ती करणे बंधनकारक राहिल .
१५. याबाबत मंजूर निविदा धारकांनी टाळाटाळ किंवा बेशिस्त वर्तन केल्यास त्यांच्याविरुद्ध योग्य ती कार्यवाही केल्या जाईल.
१६. पुरवठाधारकांनी सादर केलेल्या देयकांतुन शासन निर्णयाप्रमाणे टि.डी.एस. व इतर वजावटी केल्यानंतरच संबंधितास अंतिम रक्कम अदा केली जाईल.
१७. गरजेप्रमाणे नमूना (Sample) तपासणी कामी उपलब्ध करून द्यावा लागेल.
१८. ज्या साहित्यांची गॅरंटी देणे गरजेचे आहे अशा साहित्यांची गॅरंटी पुरवठा धारकांनी द्यावयाची आहे. त्याबाबत त्यांनी १०० रुपयांच्या स्टॅम्पवर लेखी करार करून देणे बंधनकारक राहिल.
१९. ज्या निविदाधारकांनी या कार्यालयास निविदा सादर करण्याबरोबरच १२५०००/- एवढी अनामत रक्कम म्हणून जमा केलेली आहे. अशा निविदाधारकांची निविदा नामंजूर झाल्यास त्यांना त्यांची अनामत रक्कम परत केली जाईल.

२०. यादी मध्ये दर्शविण्यात आल्यानुसार साहीत्याच्या संख्येमध्ये कमी जास्त प्रमाणात बदल होऊ शकतो.
२१. निविदा बाबतचे अंतिम अधिकार मा.जिल्हाधिकारी बुलडाणा यांच्याकडे राखून ठेवलेले आहेत.
२२. निविदा प्रक्रिया रद्द करणे, तहकुब करणे, पुढे ढकलणे किंवा त्यामध्ये आवश्यक ते बदल करण्याचे अधिकार जिल्हाधिकारी बुलडाणा यांनी राखून ठेवले आहेत याबाबत कोठेही दावा करता येणार नाही व निविदा धारकाने निविदा देल्यास त्यांना या सर्व अटी मान्य आहेत असे गृहित धरूनच दिल्या आहेत असे मानण्यात येईल व त्या निविदा धारकाला बंधनकारक राहतील.

वरीलप्रमाणे अ.क्र. १ ते २२ नुसारच्या अटी व शर्ती मी वाचलेल्या असून मला त्या मान्य आहेत.

स्थळ :-

दिनांक :-

निविदा धारकाची स्वाक्षरी -----

निविदा धारकाचे नाव -----

संपूर्ण पत्ता -----

दुरध्वनी क्रमांक -----

मोबाईल क्रमांक -----

DRM आपत्ती व्यवस्थापन कार्यक्रमांतर्गत नविन शोध व बचाव साहित्यांची खरेदी करणेकामीची यादी

Sr.No.	Iteam	Requirement
1	Life Jacket	75
2	Life Buoys	75
3	Rubber Boat with OBM (25hp)	1
4	Tents	6
5	Fire Suits	5
6	Gas Cutter	6
7	Concrete Cutter	1
8	First Aid Kits	75
9	Hammer (5 kg)	6
10	Helmet Torch	10
11	Hand Gloves	50
12	Gum Boots	20
13	Nose Masks(use&through)	75
14	Rain coat	30
15	Nylon Rope	700 m
16	Safty Net	3
17	Megha phone with spicker	20
18	Helmet	15
19	Jumping Pad	2
20	Police Torch	15
21	Serch Light	10
22	Wood cutter light weight	2
23	Stretchers multipurpose	20
24	Emergency Bracelet	15
25	Inflatable Jakets	7
26	Rope&Rescue Kit	1
27	Fire xtinguishar	40
28	Inflatable lighting Towar	1
29	Chain saw	4
30	Aluminum Ladders	5

Life Jacket

The Life Jackets should be approved by MMD & should meet the latest standards of SOLAS. The size of the jacket should be 92x37x10 cm. The jacket should be provided with reflective tape and whistle. The cover of the life jacket should be made from nylon in orange colour.

Life Buoys

The Ring Buoy should be made from polyurethane having 800 mm O.D.& 430mm I.D. The Buoyancy shall minimum 19.5kgs & it should be provided with polyurethane rope. The buoy should be SOLAS approved

Rubber Boat with OBM (25hp)

1. Manufacturer Must be of reputed brand by manufacturer with extensive and satisfactory record of sales of at least 10 boats of similar design.
2. LOA ~ 4.3-m.

3. Beam ~ 1.88-m.
4. Tube diameter ~ 48-cm
5. Weight (including oars) < 120-kg.
6. Bagged dimensions < 145x90x60-cm.
7. Max power for OBM 40-hp.
8. Max weight on transom for OBM 85-kg.
9. Separate inflatable chambers at least 3 + keel.
10. Load capacity > 950-kg.
11. POB capacity at least 8 people.
12. Tube material Polyester or nylon fabric coated with two layers of neoprene and one layer of Hypalon for maximum durability and abrasion resistance.
13. Floor boards.....Aluminium/ Marine Ply Wood
14. Side Joiner Stopper.....Hypalon; Black 4 qty
15. Transom.....PVC coated 36mm thickness
16. Transom pocket holder.....Hypalon 36mm thickness
17. Transom cap cover.....PVC coated 128cm
18. Transom retainer.....PVC 20 x 3 x 2cm
19. Transom hole.....Stainless Steel 28mm x 36mm 2 qty
20. Transom handle protector.....Hypalon 6 qty
21. Valves.....Acetal type 5 qty
22. Lacing cuff.....Hypalon 1.05mm thickness
23. Transom to be protected by heavy duty ABS laminate and fitted with anti-spray triangles to the tubes. Two s/s tow hooks are to be fitted.
24. Accessories 1 x double-action hand pump c/w pressure gauge. 1 x tube repair kit with valve tool.
25. Air pump.....Plastic 1 qty double action
26. Repair kit can.....1 qty
27. Carry bag.....Polyester tarpaulin

OBM (OUTBOARD MOTOR)

1. Manufacturer Of international repute. Suzuki/Mercury/Yamaha preferred. Must have active Authorised Dealer in India for provision of full support.
2. Power unit 25-hp, 2-stroke, 3 cylinder.
3. OBM features Manual start, Tiller steering, short shaft, power trim, oil injection

Tents

12ftx12ft, 7 ft centre height, wall height 3 ft.

Heavy Duty Outer cloth will be of 550 gsm water proof fabric in olive green colour and inner cloth will be of off white colour which enhances the inner area. Every tent will be duly stitched with high quality cotton thread for sufficient strength, bearing ropes 4mm ropes for pitching the tent. There will be 5 steel poles for stability of the tent. The door of the tent will be foldable. Every tent will bear hammer & pickets

Fire Suits

Design & Construction: The fire entry suit has to be in 2 pcs. with external aluminised fabric and 6 insulation layers.

Jacket: Jacket should be provided with pouch on shoulders, raglan sleeves and front fastening by means of metal snaps protected by flap closed by metal snaps, high Korean style collar.

Trouser: Trousers should have elasticised adjustable suspenders, and adjustable strap at the bottom.

Boots: The Boots shall have adjustable straps with full grain leather thickness 5mm. sole lined with Meta Aramid outside and wool inside; the sole should be connected to the upper by metal nails.

Gloves: Two finger gloves insulated as the other components.

Hood: Hood should be wide shaped to enable use a full-face mask with breathing apparatus without hampering head movements. The hood should be provided with a Safety plastic helmet inside the hood fixed to a screen, which support the visor. The screen should be inside the hood and fixed by metal snaps. The visor is to be made of double lined heat treated golden visor. Two adjustable straps under arms to keep the hood close fitting on shoulders and breast are to be provided.

Stitching: High tenacity Meta Aramid yarn to be used for Seams.

A special bag for transport and storage for the complete set has to be provided

Description of layers from the outside aluminised fabric to the inner layer:

External:

- Aluminised Glass fabric
- Special Glass insulation wool (high thickness)
- Siliconed Glass fabric
- Siliconed Glass fabric
- Special Glass insulation wool (high thickness)
- Siliconed Glass fabric
- Flame Retardant Artificial silk

Inner Lining

Given below are the detailed Raw Material Technical Specifications of the Fabrics which are to be used for manufacturing the Fire Entry Suit which should pass the given EN properties.

ALUMINISED GLASS FABRIC

Material Specification:	Certifications	Requirements
Composition of base fabric	/	Glass Fiber
Weight	UNI 5114	500 gr/mq +/- 10%
Weave	UNI 8099	Satin da 4
Tensile strength	UNI EN ISO 13934-1	Warp: Kg. 450 +/- 10% Weft: Kg. 250 +/- 10%
Flame resistance	EN 531	EN 532: A EN 367: B2 EN 366: C2 EN 373: E1
Reflection thermal energy	/	>90%
Aluminium coating	/	Double aluminium coating with protective sheet made in mylar

Glass insulation wool

Composition		Glass fibre
Thickness	/	45 mm.
Weight	UNI 5114	60 gr/mq +/- 10%

Siliconed Glass fabric

Composition	/	Glass fibre
Construction		Plain
Weight	UNI 5114	220 gr./ sqmt +/- 10%

Flame Retardant Artificial silk

Composition		100% Viscose FR
Weight	UNI 5114	95 gr./sqmt +/- 10%
Yarn per cm	UNI 9274	warp 48 +/- 2 weft 24 +/- 2
Yarn count	UNI 9275/88	warp 120 den weft 120 den
<i>Breaking strenght</i>	UNI EN ISO 13934-1	Warp Kg. 40 +/- 10% Weft Kg. 20 +/- 10%
<i>Coating</i>	/	FR coating

Gas Cutter

OXY-GASOLINE CUTTING SYSTEM MOBILE CUTTING PACKAGE

The Cutting System should contain everything needed for short-term steel cutting where portability should be important

The Scope of Supply should include:

Plastic carry case, with harness, scabbard, handle

20 inch 90 degree torch

3 cutting tips: 81, 83 & 5

20 foot gasoline hose

20 foot oxygen hose

2 quart gasoline tank

2 gasoline quick disconnects

Oxygen backflash arrester

2 Oxygen quick disconnects

Spare parts kit

Tool kit

Spark striker

Protective shaded glasses

Welding gloves

Adjustable wrench

Pigtail for filling and using CGA 540 industrial oxygen bottles

Adaptor for filling and using CGA 870 medical oxygen bottles

Industrial oxygen bottles

Industrial oxygen regulator

Concrete Cutter

Cut Off Saw with 14" Dia Cutting Wheel along with accessories like spark plug, eye protector, gloves, helmet and tool kit all complete having an engine displacement - 64.0 cc, Minimum Power Output- 4.4 bhp/3.2 Kw, Maximum Weight (Without fuel & Cutting wheel)- 10.0 Kg., Maximum Sound pressure level (db(A))- 102, Maximum Sound Power Level (db (A)) - 110, Maximum Vibration Level (Left/right)- m/s² - 7.0/5.0, Maximum Fuel Tank Capacity (Litres)- 0.70, Infinitely adjustable 14" Magnesium wheel guard, Maximum cutting depth with 14" Dia Cutting Wheel-125 mm, Long life filtration system (Three Stage) having cyclone air routing with Compensating carburetor for extending filter cleaning intervals. Elastic starter handle and decompression valve for reducing starting effort. Semi-automatic V-Belt tensioning with water connection for wet cutting, Should have a superior anti vibration system to reduce operator fatigue. The Machine will be supplied with a set of 14" Dia Synthetic Resin Cutting wheels for cutting Stone, Steel, Asphalt and 14" dia Universal Diamond Wheel suitable for cutting Brickwork, Reinforced Concrete, Concrete Blocks, Natural Stone and Construction steel upto 10 mm thick. A manually pressurised portable water container of 10 Litre Capacity to be supplied for wet cutting application.

The manufacturer should comply with the following.

ISO 9001 With latest validity

EN 98/37/EC, 89/336/EEC, 2000/14/EC

EN ISO 11681-1, EN 61000-6-1, EN 55012

Service centre: The supplier should have service centre in Maharashtra

First Aid Kits

The first box should be made of aluminium having size of 10 X 7 X 2 inches and should contain the following items.

Description	Quantity
Medium Size Roller Bandage – 2"	02 Nos.
Gauze Piece	02 Nos.
Hand Gloves 1 Pair	01 No.
Cotton Wool (20 Gm Packing)	02 Pieces
Dettol or Savlon – Antiseptic lotion	01 Bottle – 50 ML.
Mercurochrome Solution 2% in water	01 Bottle – 20 ML
Paracetamol Tablet	02 Strips
Scissor	01 No.
Adhesive Plaster – 1.25 cms x 1mtrs	01 Spool
Sterilized Eye Pad	02 Nos.
Safety Pins	10 Nos.
Ointment for Wounds – Soframycin	01 No.
Eye Wash Cup	01 No.
Triangular Bandage	02 Nos.
Band Aid Dressing	25 Nos.
Iodex (25 gms)	01 Bottle
Boric Acid Powder (20 gm)	01 Packet
Dusting Powder (10 gms)	01 Packet
Duster	01 No.
Soap	01 No.
Eye Drops	01 Bottle
Vicks (22 gms)	01 Bottle
Forceps	01 No.
Cotton Buds	05 Nos.
Wooden Splint	02 Nos.
Lock	01 No.

The kit should contain the following items in a separate floating bag

- Activated carbon mask
- Suction apparatus kit for suction of venom due to snake bite
- Neck belt to support neck injuries
- Urinal bag system
- Roller bandage
- Two rods combined with wooden splint for spinal and leg fracture
- Nylon rope 9 mtrs with wooden strip
- Weight should be less than 1.3 kgs

Hammer (5 kg) (ISI mark)

Hammer :- 16 LBS

Helmet Torch

It should have a flashlights that have a yellowish beam,

Hand Gloves

Rubber Hand Gloves:- Heavy Duty 18 inch

Gum Boots

Gumboots : Design Wellington, size 5 x 11, Height 356 + 10 mm,

Toe : Steel toe cap,

Thickness : Sole-12.5 mm, Heel – 28mm

Material : Sole-Polyvinyl Chloride (Hard), Upper Polyvinyl Chloride (soft)

Hardness : Sole /heel 60 + 5 A

Sole Design : Anti-skid Lug sole

Flexing Endurance : Upper 1,50,000 cycle

(De Matin), Sole : 50,000 cycle (Ross)

Leak Proofness : No leakage when air with pressure of 1.5kg is forced in to the boot.

Nose Masks(use & throughw)

Nose Mask(use and through) :-

Rain coat

Rain Coat :- Duck back

Safty Net

Safety net made from 4 mm PP rope and mesh size of 3 inches and border rope of 12m covered with fishing net.

Size 3 mtr x 10 mtr

Megha phone with spicker

The Megaphone should have a output of 25 Watts and a voice range of 0.6 km. It should be able to operate on 12V battery and have easy connection to connect to a car / jeep battery. It should also have provision to run on Dry UM -1 cells.

It should have provision for connection of external speaker for louder sound.

Standard Accesory:

2 mikes

1 Auxillary input

helmet

The helmet should me from HDPE and have sweat band and adjustable knob. It should be ISI & CE marked, DGMS and EN approved.

Jumping Pad

It should be made from double layer canvass cloth of size 10 x 10 ft with 12 mm rope along the border of the sheet to enable grip from all the sides.

Police Torch

Rechargeable Li -ion battery 3.7 V, 1500 mAH

Body made of aircraft aluminium alloy

Auto focussed beam

Mains & external charger

Protection – Over charge, Over discharge, Short Circuit

Super bright white LED- CREE, USA 3W (Flashlight)

2000M beam distance

Corrosion resistance anodized finish

Water & Impact resistant

180 Min continuous working

Candle power – 54000 (Flash Light) / 1000 (Lantern)

O ring sealed

Length – 338 mm Weight – 450 gms (including)

Serch Light

160mm did x 250 mm length fitted with specially designed deep parabola reflector having 50/55 watt,12 volts halogen lamp,12 volts & 7 AH rechargeable maintenance free battery.

. o Micro controller based HHSL

o Operating range of about 1000mt.(i.e. 1km)

o Parabolic reflector mounted in a shock resistance cap having resting supports of Super Tough Glass filled

nylon

- o Shock resistant front glass (will not break even if water droplets fall on it while is use)
- . o SMPS inbuilt charger working on from 90v to270v
- o **Dimming Feature:** The Full Glow of the light can be varied by way of pressing the corresponding membrane switch in upward or downward direction.
- o Single Systems ON membrane switch is provided. the color of the system ON LED indicate the status, of the battery (i.e. green Color for OK battery status, yellow color for advanced low battery status, red color for low Battery status.)
- o Mode switch is provided to select Timer & Continuous Mode The color of LED glow is corresponding to the mode return in the same color (I.e. Red color is for the timer mode,& green color is for the Continuous Mode)
- o The timer of auto Flashing Can be increased by pressing the corresponding membrane switch in up word or downward direction

The light should be provided with heavy duty nylon belt.

The handle and body should be made from one piece.

Stretchers multipurpose

The floating stretcher should be made of 120 GSM spun bond non woven fabric and above floating material of 1 thick PU foam

Length- 6'3" (75inch) , Width- 3' 3" (39 inch) and Thickness- 1.5" in open condition,
Length -24 inch ,Width- 18 inch and thickness 6 inch at folding condition

EMERGENCY BRACELET

The bracelet cover should be made of Polycarbonate with TPE coating, base from durable ABS plastic & strap from highly elastic silicon that can withstand 200°C (392 °F) and such that it will fit everyone irrespective of the wrist sizes.

The bracelet should switch from standby mode to active mode automatically and the powerful LED torch in the front should switch on when worn on the wrist. It should switch off when removed.

A manual activation button should be provided which when activated gives out an alarm of 90 db at a distance 3 mtrs with flashing red LED lights.

The alarm should automatically activate if there is no movement of the user for a period of 25 seconds and reach full volume if no further movement and stop automatically if a movement is detected.

A powerful lithium battery should ensure the device remains functional even if not used for 6 years.

The bracelet should be waterproof up to a depth of 1 mtr under water and IP 67 certified

INFLATABLE JACKET

The jacket should be made of Nylon fabric coated with Rubber / PU. The jacket

Technical Specification -

- Made of Nylon rubber proofed fabric dyed in yellow color easy for visibility.
- Single buoyancy chamber. An oral inflation tube and valve on the left upper front of the jacket, restrained by a loop on the collar
- A strong webbing belt threaded through broad loop of Nylon fabric on the lower body side of inflation chamber & through strong, fabric pouch into which the life jacket is folded.
- Large buckle fastening belt. One inch webbing hoist straps secured ins mall loop from the collar and attached to the lower side of the collar by 2 press studs.
- Storage- A Soft canvas pouch provided for storage and placed on the waist of the person while life jacket is not in use.
- Size- The size of the life jacket – length – 790 mm and Width – 470mm (app.)
- Weight of life jacket- 800 gms. (app.)
- Buoyancy- 18 ltrs (app.) which is sufficient for a normal person weight. (75 kg)
- Provision for a lamp which will burn automatically while contact with sea water.
- Non metallic vessel in small pocket on lower left placed on life jacket.

Rope & Rescue kit

Carabiners 26/10/10 kn EN 12275, EN 362 : 2005/B, CE 0123, Gate opening = 15 mm	10 nos.
Descender 30 Kn Weight 112 gms	4 nos.
Single Pulley 22 Kn CE 1019, Side Plates can be opened to fit in upto 12 mm rope	4 nos.
Double Pulley 30 Kn Weight = 459 gms, Side plates can be opened to fit ropes upto 16mm diameter	2 nos.
Tandem Pulley 22 Kn	2 nos.
Ascender 4 kn EN 567, Ropes from 8-11 mm, Weight = 220 gms	1 pair
Seat Harness	6 nos.
Rapelling Mittons	2 pairs
Leather Hand Gloves	3 pairs
Karnamental rope 8 mm	300 mtr.
Karnamental rope 10 mm	300 mtr.
Karnamental rope 12 mm	200 mtr.
Suspension Chair	2 nos.
Back Pack	1 no.

Fire xtinguishar

The fire extinguisher should be based on aerosol technology.

The operation should be very simple, remove safety pin & press button to operate.

The gas generated should be capable of extinguishing class A, B & C fires.

It should be non toxic and environment friendly.

The fire extinguisher should be class 13B certified.

Length - 233m Diameter – 50 mm Weight – 610 gms

Life – 10 years

Inflatable lighting Towar

The complete light system should be housed in suitcase with wheels. It should contain 2 light heads which can be easily attached to the external side of the suitcase by means of telescopic mast with interlocking couplings.

The system will have low warning system and water proof activation switches having provision for high and low beams.

Technical specifications

LED type	High flux LED
LED life	50000 hours
Tested lumen value high	4000 (low) 8000 high
Lamp heads	2
Number of LEDs per head	24
Beam Spread	90 deg
Brightness settings	2
Battery type	12V Rechargeable
Battery burn time	14 hours (low) 7 hours (high)
Battery charging time	6 hours from full discharge
Battery life	500 cycles
Low battery warning	Intermittent blinking
12 Volt Primary sockets	2
12V Auxillary sockets	1
Watts	48
Voltage	12
Head Length	16.5 cm
Head Width	20 cm
Head Depth	6.5 cm
Width Closed	35.1 cm
Length Closed	55.9 cm
Height Closed	22.9 cm
Mast Height Extended	180 cm
Cord Length Retracted	35 cm
Weight	23 kg

Note: The entire system should be CE approved.

Chain saw

DESCRIPTION: Petrol drive carbide tipped chain saw

Application: Chain saw is required to cut all kinds of wood including trees ,all type of sheet metal up to thickness 0.8 mm ,bituminous felt,multilayer glass.Wood with nails.

ENGINE: Two stroke air cooled 6 HP (Firm shall indicate the HP of the engine offered)

The HP Shall be appropriate to suit the purpose

For rescue operations Lighter engine delivering more power preferred

Fuel tank capacity : 0.8 Ltrs(App)

Oil tank capacity : 0.3 Ltrs(App)

Air Filters:Heavy duty should have prolonged air filter cleaning intervals.

RPM: 13500

Drive System: Type -In-board 3 shoe centrifugal clutch, without lining

CONTROLS: The various operating controls of the chain saw shall be provided in such a way that they are convenient to the operator permitting maximum efficiency in its operation.

Guide Bar: 50 Cms ,Type: Solid 20" slotted for guard & depth gauge with replaceable bar nose.

CUTTING CAPACITY: 170 cms Circumference (Min.)

CUTTING CHAIN: Carbide tipped chain.

CUTTING CHAIN LUBRICATION : Type-Fully automatic adjustable drive system -geared to centrifugal clutch. Should have appropriate system to optimize chain oil consumption.

SAFETY: Machine shall have automatic inertia type quick stop system in case of chain breakage during operation.Should have depth limiter easy to fit and operate.

HANDLE: Front/Full Wrap

CHAIN ADJUSTMENT:Side chain tensioning system for easy chain tensioning.

WEIGHT Ready to use : Not More than 12.5 Kg.Lesser Weight Will be preferred.

MANUALS: 2 sets of operation and maintenance manuals to be supplied with each machine.

STANDARDS:

Product should have following manufacturing standards:

ISO 9001 With latest validity

EN 98/37/EC,89/336/EEC,2000/14/EC

EN ISO 11681-1,EN 61000-6-1,EN 55012

Sound Power Level: 116Db(A) OR Less.

Extra Saw Chain Loop Non carbide tipped and Filing Kit for Chain Sharpening comprising of One Nos.

Round File with Holder,One Nos. Flat File and One Multifunction Tool for Sharpening and cleaning of the Guide Bar.

The power head & cutting attachments (Guide bar & saw chain) should be from the same manufacturer to ensure compatibility & availability.

Service centre: The supplier should have service centre in Maharashtra

Aluminum Ladders

Aluminum Wall Extension Ladder made from high tensile Aluminum alloys size of 20 ft. x 5 inch closed x 35 ft. extendable with side channel section of 2 5/8" X 1 1/4" x 10 swg and rungs of 1" Dia (Havy Duty type) Non slip corrugated tubing at 10" centre with self interlocking type safety locks with quick release pawls (double pawl) Maniala rope (1.5"), pulley (Metallic), soiled rope non-skid type shoes on tope & bottom . Complect ladder will be light in weight (min. 36 kg & above). Fire proof and rust proof. Breaking strength 2995 kg.

वरील सुचि मधील साहित्यामध्ये तसेच आवश्यक सख्येत फेरफार करण्याचा तसेच रद्द करण्याचा अधिकार जिल्हाधिकारी यांचे कडे राखून ठेवले आहे. त्याबाबत कोनत्याही तक्रारीची दखल घेतल्या जाणार नाही याची कृपया नोंद घ्यावी.

-स्वा-

जिल्हाधिकारी बुलडाणा